

**From:** [Hohman, Darla](#)  
**To:** [shadyacres0413@gmail.com](mailto:shadyacres0413@gmail.com)  
**Subject:** Updated Email  
**Date:** Wednesday, July 14, 2021 2:30:00 PM

---

Dear Ms. Corrigan,

I mistakenly sent you a letter that was sent to another facility. The documents attached were correct, but the wording in the email was wrong.

On May 18, 2021, representatives of the U.S. Environmental Protection Agency (EPA) inspected the Shady Acres owned by Shady Acres in Green River, Utah. The purpose of the inspections was to evaluate the facility's compliance with the Spill Prevention Control and Countermeasure (SPCC) regulations promulgated at 40 CFR Part 112, Subparts A-C, under Section 311(j) of the Clean Water Act (Act), 33 U.S.C. §1321(j). The inspections revealed instances in which the Company appeared not to have complied with the SPCC regulations.

The enclosed Checklist identifies potential plan and field/technical deficiencies of the SPCC requirements observed during the inspection. The facility was found to not have an SPCC plan at the time of the inspection.

Please note that because the EPA's Denver office is currently closed due to the COVID-19 outbreak, we are requesting that you communicate with our office by telephone and email. We are working remotely with access to EPA telephones and email.

EPA acknowledges that the COVID-19 pandemic may be impacting your business. If that is the case, contact EPA and we will consider your specific circumstances in determining an appropriate timeline for addressing the deficiencies found during the inspection, while still ensuring regulatory compliance as expeditiously as possible.

=====  
Ms. Darla Hohman  
US Environmental Protection Agency  
1595 Wynkoop Street, MC: 8ENF-RO-O  
Denver, CO 80202-1129  
(303) 312-6953 fax  
(303) 312-6263  
Email: [hohman.darla@epa.gov](mailto:hohman.darla@epa.gov)  
=====